



Remove grease - Strip  
Disinfect



CLEAN  
**CLEAN**

# STANDARD SOLVENTS

## ORASOLV B30 564

### quick evaporation

Appropriate solvent for metallic surfaces, mechanical and electrical parts in cleaning between operations. Penetrates deeply and dissolves greasy deposits and oils. Leaves a perfectly dry surface. Can be used in finishing works.

Colour: colourless  
 Flash point: >30°C  
 Compatible with part washers  
 Di-electrical strength: >40kV

2564 I2	Bottle 1 l	x 12
2564 O1	Drum 20 l	x 1
2564 U2	Drum 200 l	x 1

## ORASOLV B40 567

### multipurpose

Cleaning solvent with quick evaporation. For complete degreasing of all mechanical parts and metallic surfaces. Cleans electrical motors coil windings (dismantled). Penetrates deeply and dissolves greasy deposits and dirty oil.

Colour: colourless  
 Flash point: >40°C  
 Compatible with part washers  
 Di-electrical strength: >40kV

2567 I2	Bottle 1 l	x 12
2567 J1	Can 5 l	x 4
2567 O5	Drum 60 l	x 1
2567 U2	Drum 200 l	x 1

## ORASOLV B60 571

### security anti corrosion

Degreasing of all metallic surface, even very greasy. Slow evaporation, leaving a light anti-corrosion film. Advised for soaking for stubborn deposits.

Colour: colourless  
 Flash point: >61°C  
 Compatible with part washers and ultra sonic bath  
 Di-electrical strength: >40kV



2571 I2	Bottle 1 l	x 12
2571 J1	Can 5 l	x 4
2571 O1	Drum 20 l	x 1
2571 O5	Drum 60 l	x 1
2571 U2	Drum 200 l	x 1

# NONE FLAMMABLE SOLVENTS

## SDI NEW 504

### super industrial degreaser

Extremely powerful degreaser: carbonised greases, synthetic fluids, fuels, tar gums, varnish and hydrocarbons deposits. Immediate drying. Surface preparation before gluing or painting.

Colour: colourless  
 Odour: light orange fragrance  
 Not flammable

4504 A5	Aerosol 800 ml	x 12
2504 J1	Can 5 kg	x 4
2504 O5	Drum 60 kg	x 1
2504 U2	Drum 200 kg	x 1

## A 90 H 508

### cleaner for electronics

High security for cleaning of contacts under load. Quick and total evaporation. Cleans electrical circuit boxes, coil windings, printed circuits, precision electronic devices (relays, connectors...). Defluxing solvent. Does not stain. Does not promote the oxidation of pieces after drying. No effect on plastics.

Colour: colourless  
 Flash point: not flammable  
 Dielectric strength: >50kV

4508 A4	Aerosol 650 ml	x 12
---------	----------------	------

## ORASOLV A05 518

### cleaner and stripper

For surfaces preparation. Perfectly dissolves grease, tar and oil deposits, resins, glues inks and paints. Quick and total evaporation. Leaves a dry, clean surfaces, without any residue.

Colour: colourless  
 Not flammable  
 Di electrical strength: >60 kV  
 Kauri Butanol index (KB): 135

2518 I2	Bottle 1 kg	x 12
2518 J1	Can 5 kg	x 4
2518 O1	Drum 20 kg	x 1
2518 O5	Drum 60 kg	x 1
2518 U2	Drum 200 kg	x 1



# HIGH TECHNOLOGY SOLVENTS

## ORASOLV K1 536

### reinforced solvent power

Very efficient for difficult degreasing. Wide action spectrum. Dissolves oils, greases and tars on very dirty surfaces. Immediate drying and no residues after evaporation.

Colour: colourless  
 Compatible with part washers  
 Di-electrical strength: >40kV  
 Kauri Butanol index (KBI): >82

2536 I2	Bottle 1 l	x 12
2536 O5	Drum 60 l	x 1
2536 U2	Drum 200 l	x 1

## ORASOLV L 512

### quick evaporation

New generation solvent appropriate for all mechanical and electrical parts, not under load. Cleans quickly and leaves a perfectly dry surface

Colour: pale green  
 Flash point: >30°C  
 Compatible with part washers  
 Di-electrical strength: >40kV  
 Kauri Butanol index (KBI): >70

2512 I2	Bottle 1 l	x 12
2512 J1	Can 5 l	x 4
2512 O5	Drum 60 l	x 1
2512 U2	Drum 200 l	x 1

## ORASOLV M1 511

### multipurpose for workshops

Especially formulated for the de-greasing of all mechanical parts and metallic surfaces in workshops. Penetrate deeply and dissolves greasy deposits and sludge on mechanical parts.

Colour: green  
 Flash point: >40°C  
 Compatible with part washers  
 Di-electrical strength: >40kV  
 Kauri Butanol index (KBI): >72

2511 I2	Bottle 1 l	x 12
2511 J1	Can 5 l	x 4
2511 O1	Drum 20 l	x 1
2511 O5	Drum 60 l	x 1
2511 U2	Drum 200 l	x 1

## ORASOLV P 540

### very high dissolving power

Formulated for the quick and complete de-greasing of any very dirty surface. Can work as a protection between machining operations.

Colour: pale green  
 Flash point: >61°C  
 Compatible with part washers and ultra sonic baths.  
 Di-electrical strength: >40kV  
 Kauri Butanol index (KBI): >60

2540 I2	Bottle 1 l	x 12
2540 J1	Can 5 l	x 4
2540 O1	Drum 20 l	x 1
2540 O5	Drum 60 l	x 1
2540 U2	Drum 200 l	x 1

## ORASOLV P2 541

### high efficiency and security

High technology solvent, advised for soaking for stubborn deposits. Cleans engine blocks, flanges, coil windings.

Colour: pale green  
 Flash point: >61°C  
 Compatible with part washers  
 Di-electrical strength: >40kV  
 Kauri Butanol index (KBI): >70

4541 A4	Aerosol 650 ml	x 12
2541 O1	Drum 20 l	x 1
2541 O5	Drum 60 l	x 1
2541 U2	Drum 200 l	x 1

## NATUR'SOLV 582

### vegetable solvent

New generation high technology solvent made from vegetable oils. Excellent degreaser for removal. Penetrate deeply and dissolves greasy deposits and dirty oils. Protects against corrosion, no VOC.

Colour: colourless  
 Flash point: >150°C  
 Compatible with part washers  
 Di-electrical strength: >40kV  
 Kauri Butanol index (KBI): 60

2582 I2	Spray bottle 1 l	x 12
2582 J1	Can 5 l	x 4
2582 O1	Drum 20 l	x 1
2582 U2	Drum 200 l	x 1



# FOOD APPROVED SOLVENTS

## ORASOLV A 568

**very quick drying**

Dry solvent. Penetrates deeply and perfectly dissolves greasy deposits and glues. Does not promote metal oxidation after drying. Soluble in water. Can be used for glue residues cleaning, adhesives, labels, blood or sugar in food environment.

Colour: colourless  
Flash point: >21°C



4568 A4	Aerosol 650 ml	x 12
2568 I2	Bottle 1 l	x 12
2568 J1	Can 5 l	x 4
2568 U2	Drum 200 l	x 1

## ORASOLV N 513

**multipurpose, odourless**

De-greases mechanical parts. Cleans electrical and electronic foaling. Quick evaporation through blowing. Security solvent.

Aspect: odourless  
Colour: colourless  
Flash point: >60°C  
Compatible with part washers and ultra sound machines.  
Di-electrical strenght: >40kV



2513 I2	Bottle 1 l	x 12
2513 O1	Drum 20 l	x 1
2513 O5	Drum 60 l	x 1
2513 U2	Drum 200 l	x 1

## ORASOLV R2 576

**without VOC**

Penetrates deeply and perfectly dissolves greasy deposits. Leaves a light greasy film that protects metals. Ideal solvent for all cleanings with operator and environment security. To be used with part washer and ultra sonic machines.

Aspect: limpid liquid  
Colour: colourless  
Flash point: >100°C  
Compatible with part washers and ultra sonic bath  
Di-electrical strenght: >40kV



2576 I2	Bottle 1 l	x 12
2576 J1	Can 5 l	x 4
2576 U2	Drum 200 l	x 1

## ORASOLV S1 543

**biodegradable**

High technology solvent. Soluble in water allows easy rinsing of surfaces. To be used neat for cleaning and de-greasing of lots of chemicals: printing inks, resins, glues... Very efficient solvent.

Colour: green  
Flash point: 75  
Compatible with part washers  
Di-electrical strenght: >40kV



2543 I2	Bottle 1 l	x 12
2543 J1	Can 5 l	x 4
2543 O1	Drum 20 l	x 1
2543 U2	Drum 200 l	x 1

## ORASOLV T 544

**quick evaporation**

For mechanical parts cleaning, stainless steel foaling. Excellent compatibility with gaskets, rubbers and all plastics. Cleaning of food and pharmaceutical facilities.

Colour: colourless  
Flash point: >40°C  
Compatible with part washers  
Di-electrical strenght: >40kV



4544 A4	Aerosol 650 ml	x 12
2544 I2	Bottle 1 l	x 12
2544 J1	Can 5 l	x 4
2544 U2	Drum 200 l	x 1



# SPECIAL SOLVENTS

## **KLEANER 503**

**dry solvent for plastics**

Dry cleaner and grease remover quick drying. Cleaning of all devices and small mechanisms, contacts and printed circuits. Ideal to clean any surfaces difficult to reach and fragile. Very high grease dissolution power. Does not contain chlorinated solvent. Does not damage fragile materials, inks or plastics.

Colour: colourless  
 Odour: apple  
 Flash point: <21°C

4503 A4 Aerosol 650 ml x 12

## **NDI 507**

**surface preparation - dry**

Essential for cleaning before gluing and preparation before painting. Very quick evaporation. Cleans metallic and plastic surfaces (after compatibility test). Does not contain chlorinated solvent. Leave a dry and clean surface.

Colour: colourless  
 Flash point: <21°C  
 Not compatible with part washer

4507 A4 Aerosol 650 ml x 12  
 2507 J1 Can 5 l x 4

## **ORASOLV O 514**

**dry - ultra quick evaporation**

For preparation of surfaces before painting or gluing. Dissolves resins, glues, inks and paints. Immediate evaporation. Leaves a completely clean and dry surface, without deposits. Cleaning of tubes and valves for oxygen. Does not contain chlorinated solvents.

Colour: colourless  
 Flash point: <0°C  
 Not compatible with part washers

2514 I2 Bottle 1 l x 12  
 2514 J1 Can 5 l x 4  
 2514 O1 Drum 20 l x 1

## **ORASOLV E 539**

**emulsifiable**

Very high dissolving power. Powerful tar remover, cleaning of burnt residues. De-greases very dirty mechanical parts, cement and concrete floors... Cleans bushes impregnated with solvent based paints.

Colour: blue  
 Flash point: >40°C  
 Compatible with part washers  
 Kauri Butanol index (KB): >78

2539 I2 Bottle 1 l x 12  
 2539 J1 Can 5 l x 4  
 2539 O1 Drum 20 l x 1  
 2539 O5 Drum 60 l x 1  
 2539 U2 Drum 200 l x 1

## **ORANGE SOLVENT 550**

**degreaser tar remover**

Cleans and dissolves greases. Tar remover and burnt residues remover. Protects mechanical parts by leaving a light greasy film. Not irritant. Excellent to remove labels. All usages.

Colour: orange - Odour: fruity  
 Flash point: >61°C  
 Compatible with part washers  
 Kauri Butanol index (KB): 80

4550 A4 Aerosol 650 ml x 12  
 2550 I2 Bottle 1 l x 12  
 2550 J1 Can 5 l x 4  
 2550 O1 Drum 20 l x 1  
 2550 U2 Drum 200 l x 1

## **A 62 NU 517**

**no chlorine, no sulphur, no fluorine**

Decontaminating product for radioactive particles and de-greasing solvent for heavily soiled mechanical pieces. PMUC approved for nuclear and thermal plants, hydroelectric installations and subcontractors. Agreed for H/A and BT cable degreasing.

Colour: colourless  
 Flash point: 62°C  
 Part washer compatible

PMUC 6517 I4 Spray bottle 1 l x 12  
 PMUC 6517 J1 Can 5 l x 4  
 PMUC 6517 O1 Drum 20 l x 1  
 PMUC 6517 U2 Drum 200 l x 1

## **AV 33 813**

**weapon cleaner**

Anti-corrosive, anti-rust, lubricant. Preventive and curative use. Dissolves and neutralises powder deposit, protects mechanism and weapons. To be used on weapon of any calibre. Spray on or in the weapon. Special army: high output valve, appropriate for cannons (650ml)

Colour: yellow

4813 A1 Aerosol 210 ml x 12  
 4813 A4 Aerosol 650 ml x 12  
 2813 O1 Drum 20 l x 1

## **NET FREINS 516**

**brakes cleaner**

Dry cleaner, grease remover for brakes. Evaporate very quickly, does not attack plastics. Powerful spray. Eliminates oils, brake shoe residues... Appropriate for brakes on cars, trucks, trailers, machines... Surface preparation before gluing or painting.

Colour: colourless  
 Flash point <0°

4516 A4 Aerosol 650 ml x 12  
 2516 J1 Can 5 l x 4  
 2516 O1 Drum 20 l x 1

